



## 'Oilube'<sup>®</sup> Sintered Metric Plain Bearings

Reference	Bore	Outside Diameter	Lengths (L)
2/4 x L	2	4	4
2/5 x L	2	5	2-3-4-5
3/5 x L	3	5	3-4-6
3/6 x L	3	6	3-4
3/8 x L	3	8	4
4/7 x L	4	7	3-4-6
4/8 x L	4	8	3-4-6-8-12
4/10 x L	4	10	8
5/8 x L	5	8	4-5-8-10-12-16
5/9 x L	5	9	4-5-8
5/10 x L	5	10	6-8-10
5/12 x L	5	12	10
6/9 x L	6	9	4-6-10-12-16
6/10 x L	6	10	4-6-10-12-16
6/12 x L	6	12	6-8-12
6/14 x L	6	14	12
7/10 x L	7	10	5-8-10
7/11 x L	7	11	8-10
8/11 x L	8	11	6-8-12
8/12 x L	8	12	6-8-12-16-20
8/14 x L	8	14	8-12-16-20
8/18 x L	8	18	16
9/12 x L	9	12	6-10-14
9/14 x L	9	14	6-10-14
10/13 x L	10	13	10-16
10/14 x L	10	14	8-10-16-20-25
10/15 x L	10	15	10-16-20-25
10/16 x L	10	16	8-10-16-20-25
10/22 x L	10	22	20
12/15 x L	12	15	12-16-20-25
12/16 x L	12	16	8-12-16-20-25
12/18 x L	12	18	8-12-16-20-25
12/25 x L	12	25	25
14/18 x L	14	18	10-14-20
14/20 x L	14	20	10-12-14-20-30
14/28 x L	14	28	30
15/19 x L	15	19	10-15-20-25-30
15/20 x L	15	20	10-15-20-25-30
15/21 x L	15	21	10-15-20-25
15/22 x L	15	22	16-20-30
15/30 x L	15	30	30
16/20 x L	16	20	12-16-20-25-30
16/22 x L	16	22	12-16-20-25-30
16/32 x L	16	32	30
18/22 x L	18	22	12-18-30
18/24 x L	18	24	12-18-30
18/25 x L	18	25	16-20-22-30
18/35 x L	18	35	30
20/24 x L	20	24	16-20-25-32
20/25 x L	20	25	15-20-25-30
20/26 x L	20	26	15-20-25-30
20/28 x L	20	28	20-25-30-40-50
20/40 x L	20	40	40
22/27 x L	22	27	15-20-25
22/28 x L	22	28	15-20-25-28-30
22/32 x L	22	32	20-30-50

Reference	Bore	Outside Diameter	Lengths (L)
25/30 x L	25	30	20-25-30-50
25/32 x L	25	32	20-25-30-35-40
25/35 x L	25	35	25-35-50
25/45 x L	25	45	35
28/33 x L	28	33	20-30
28/36 x L	28	36	20-25-30-40
30/35 x L	30	35	20-25-30
30/38 x L	30	38	20-25-30-40
30/40 x L	30	40	25-30-35-45-50-60
30/50 x L	30	50	60
32/38 x L	32	38	20-25-30
32/40 x L	32	40	20-25-30-40-50
35/41 x L	35	41	25-35-40
35/44 x L	35	44	22-28-35
35/45 x L	35	45	25-35-40-50-70
36/42 x L	36	42	22-28-36-45
36/45 x L	36	45	22-28-36-45
38/44 x L	38	44	25-35-45
38/48 x L	38	48	25-35-45-55
40/46 x L	40	46	30-40-50
40/50 x L	40	50	25-30-32-35-40-50-60-80
42/48 x L	42	48	40-50
42/52 x L	42	52	40-50
45/51 x L	45	51	35-45-55
45/55 x L	45	55	35-45-55-60-65-75
45/56 x L	45	56	28-36-45-56
45/65 x L	45	65	80
48/55 x L	48	55	50
48/58 x L	48	58	50
50/58 x L	50	58	35-50
50/60 x L	50	60	30-35-40-50-63-70-75-100
50/70 x L	50	70	70
55/63 x L	55	63	40-55
55/65 x L	55	65	40-55-70
55/70 x L	55	70	70
60/68 x L	60	68	50-60-70
60/70 x L	60	70	50-60
60/72 x L	60	72	50-60-70
60/75 x L	60	75	60-90
60/85 x L	60	85	90
63/70 x L	63	70	40-50
65/75 x L	65	75	60-90
65/80 x L	65	80	60-90
70/80 x L	70	80	60-90
70/85 x L	70	85	60-90
75/85 x L	75	85	70-100
75/90 x L	75	90	70-100
75/100 x L	75	100	100
80/90 x L	80	90	70-100
80/95 x L	80	95	70-100
80/105 x L	80	105	100
85/95 x L	85	95	100
85/100 x L	85	100	100
90/105 x L	90	105	80
90/110 x L	90	110	80
100/120 x L	100	120	80

Non-standard lengths can be supplied. If the size you require is not listed please contact our sales dept. We also offer a specialised machining service for low volume non-standard sizes and tolerances.

### Power Transmission Engineering Ltd

Unit 18 Whitemoor Court Industrial Estate, Nuthall Road, Nottingham, NG8 5BY  
 Tel: +44 (0) 115 929 0001 / Fax: +44 (0) 115 929 0008 / Email: sales@pte-ltd.co.uk



## 'Oilube®' Sintered Metric Flanged Bearings

Reference	Bore	O/D	Lengths (L)	Flange Size (Outside Diameter x Width)
2/5 x L - 8 x 1.5	2	5	3	8 x 1.5
3/5 x L - 8 x 1.5	3	5	4	8 x 1.5
3/6 x L - 9 x 1.5	3	6	4	9 x 1.5
4/8 x L - 10 x 1.5	4	8	6	10 x 1.5
4/8 x L - 12 x 2	4	8	4-6-8-12	12 x 2
5/9 x L - 13 x 2	5	9	4-5-8	13 x 2
5/10 x L - 12 x 2	5	10	6	12 x 2
6/10 x L - 14 x 2	6	10	4-6-10	14 x 2
6/12 x L - 14 x 2	6	12	6	14 x 2
7/10 x L - 14 x 2	7	10	5-8-10	14 x 2
7/11 x L - 15 x 2	7	11	8	15 x 2
7/12 x L - 15 x 2	7	12	5-8-10	15 x 2
8/12 x L - 16 x 2	8	12	6-8-12-16	16 x 2
8/14 x L - 18 x 3	8	14	8	18 x 3
9/14 x L - 19 x 2.5	9	14	6-10-14	19 x 2.5
10/13 x L - 17 x 2.5	10	13	8-10-16-20	17 x 2.5
10/15 x L - 21 x 3	10	15	10-16-20	21 x 3
10/16 x L - 20 x 3	10	16	8-10	20 x 3
10/16 x L - 22 x 3	10	16	8-10-16	22 x 3
12/15 x L - 21 x 3	12	15	12-16-20	21 x 3
12/17 x L - 23 x 3	12	17	12-16-20-25	23 x 3
12/18 x L - 22 x 3	12	18	10-12	22 x 3
12/18 x L - 24 x 3	12	18	8-12-20	24 x 3
14/20 x L - 25 x 3	14	20	10-12	25 x 3
14/20 x L - 26 x 3	14	20	10-14-20	26 x 3
15/19 x L - 25 x 3	15	19	16-20-25	25 x 3
15/21 x L - 27 x 3	15	21	10-15-20-25	27 x 3
15/22 x L - 28 x 3	15	22	12-16	28 x 3
16/20 x L - 27 x 3	16	20	16-20-25	27 x 3
16/22 x L - 28 x 3	16	22	12-16-20-25	28 x 3
16/22 x L - 28 x 4	16	22	12-16	28 x 4
18/24 x L - 30 x 3	18	24	12-18-22-30	30 x 3

Reference	Bore	O/D	Lengths (L)	Flange Size (Outside Diameter x Width)
18/25 x L - 32 x 4	18	25	12-16	32 x 4
20/24 x L - 30 x 3	20	24	16-20-25	30 x 3
20/26 x L - 32 x 3	20	26	15-20-25-30	32 x 3
20/28 x L - 35 x 4	20	28	16-20	35 x 4
22/28 x L - 34 x 3	22	28	15-20-25-30	34 x 3
25/30 x L - 39 x 3.5	25	30	20-25-32	39 x 3.5
25/32 x L - 39 x 3.5	25	32	20-25-30	39 x 3.5
25/35 x L - 45 x 5	25	35	16-25	45 x 5
28/32 x L - 40 x 4	28	32	20-25-30	40 x 4
28/35 x L - 42 x 4	28	35	20-25-30	42 x 4
28/36 x L - 44 x 4	28	36	20-25-30	44 x 4
30/38 x L - 46 x 4	30	38	20-25-30	46 x 4
30/40 x L - 50 x 5	30	40	20-30	50 x 5
32/38 x L - 46 x 4	32	38	20-25-32	46 x 4
32/40 x L - 48 x 4	32	40	20-25-30	48 x 4
35/45 x L - 55 x 5	35	45	20-25-35-40	55 x 5
38/48 x L - 58 x 5	38	48	25-35-45	58 x 5
40/46 x L - 56 x 5	40	46	25-32-40	56 x 5
40/50 x L - 60 x 5	40	50	25-30-40-50	60 x 5
40/50 x L - 60 x 6	40	50	25-40	60 x 6
42/52 x L - 62 x 5	42	52	30-40-50	62 x 5
45/55 x L - 65 x 5	45	55	35-45-55	65 x 5
45/55 x L - 65 x 6	45	55	30-45	65 x 6
50/60 x L - 70 x 5	50	60	32-35-40-50	70 x 5
50/60 x L - 70 x 6	50	60	30-50	70 x 6
60/72 x L - 84 x 6	60	72	50-60	84 x 6
60/75 x L - 85 x 8	60	75	35-60	85 x 8
70/85 x L - 95 x 8	70	85	60	95 x 8
80/95 x L - 105 x 8	80	95	70	105 x 8
90/110 x L - 120 x 8	90	110	50	120 x 8
100/120 x L - 130 x 8	100	120	80	130 x 8

Non-standard lengths can be supplied. If the size you require is not listed please contact our sales dept. We also offer a specialised machining service for low volume non-standard sizes and tolerances.



## 'Oilube'<sup>®</sup> Sintered Imperial Plain Bearings

Reference	Bore	Outside Diameter	Lengths (L)
$\frac{3}{16} \times \frac{5}{16} \times L$	$\frac{3}{16}$	$\frac{5}{16}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4} - 1$
$\frac{1}{4} \times \frac{3}{8} \times L$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4}$
$\frac{1}{4} \times \frac{7}{16} \times L$	$\frac{1}{4}$	$\frac{7}{16}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4}$
$\frac{1}{4} \times \frac{1}{2} \times L$	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{8} - \frac{1}{2} - \frac{3}{4}$
$\frac{5}{16} \times \frac{7}{16} \times L$	$\frac{5}{16}$	$\frac{7}{16}$	$\frac{5}{16} - \frac{3}{8} - \frac{1}{2} - \frac{9}{16} - \frac{5}{8} - \frac{3}{4} - 1$
$\frac{5}{16} \times \frac{1}{2} \times L$	$\frac{5}{16}$	$\frac{1}{2}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4}$
$\frac{3}{8} \times \frac{1}{2} \times L$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4}$
$\frac{3}{8} \times \frac{5}{8} \times L$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1$
$\frac{7}{16} \times \frac{9}{16} \times L$	$\frac{7}{16}$	$\frac{9}{16}$	$\frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4} - 1$
$\frac{7}{16} \times \frac{11}{16} \times L$	$\frac{7}{16}$	$\frac{11}{16}$	$\frac{1}{2} - 1\frac{1}{4}$
$\frac{1}{2} \times \frac{5}{8} \times L$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4} - 1\frac{1}{2}$
$\frac{1}{2} \times \frac{11}{16} \times L$	$\frac{1}{2}$	$\frac{11}{16}$	$\frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{4}$
$\frac{1}{2} \times \frac{3}{4} \times L$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4} - 1\frac{1}{2} - 2$
$\frac{9}{16} \times \frac{11}{16} \times L$	$\frac{9}{16}$	$\frac{11}{16}$	$\frac{1}{2} - \frac{5}{8} - \frac{3}{4} - 1 - 1\frac{1}{4}$
$\frac{9}{16} \times \frac{3}{4} \times L$	$\frac{9}{16}$	$\frac{3}{4}$	1
$\frac{5}{8} \times \frac{3}{4} \times L$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{1}{2} - \frac{9}{16} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{4}$
$\frac{5}{8} \times \frac{13}{16} \times L$	$\frac{5}{8}$	$\frac{13}{16}$	$\frac{3}{4} - 1 - 1\frac{1}{4} - 1\frac{3}{8}$
$\frac{5}{8} \times \frac{7}{8} \times L$	$\frac{5}{8}$	$\frac{7}{8}$	$\frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4}$
$\frac{11}{16} \times \frac{15}{16} \times L$	$\frac{11}{16}$	$\frac{15}{16}$	$\frac{7}{8} - 1 - 1\frac{1}{4}$
$\frac{3}{4} \times \frac{7}{8} \times L$	$\frac{3}{4}$	$\frac{7}{8}$	$\frac{1}{2} - \frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4}$
$\frac{3}{4} \times \frac{15}{16} \times L$	$\frac{3}{4}$	$\frac{15}{16}$	$\frac{3}{4} - 1$
$\frac{3}{4} \times 1 \times L$	$\frac{3}{4}$	1	$\frac{5}{8} - \frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2$
$\frac{3}{4} \times 1\frac{1}{8} \times L$	$\frac{3}{4}$	$1\frac{1}{8}$	$\frac{3}{4} - 1 - 1\frac{1}{4}$
$\frac{3}{4} \times 1\frac{1}{4} \times L$	$\frac{3}{4}$	$1\frac{1}{4}$	$1\frac{1}{8} - 1\frac{3}{8} - 1\frac{1}{2} - 2$
$\frac{7}{8} \times 1 \times L$	$\frac{7}{8}$	1	$\frac{3}{4} - 1 - 1\frac{1}{8} - 1\frac{1}{4} - 1\frac{1}{2}$
$\frac{7}{8} \times 1\frac{1}{8} \times L$	$\frac{7}{8}$	$1\frac{1}{8}$	$\frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4} - 1\frac{1}{2}$
$1 \times 1\frac{1}{8} \times L$	1	$1\frac{1}{8}$	$\frac{3}{4} - 1 - 1\frac{1}{4} - 1\frac{1}{2}$
$1 \times 1\frac{1}{4} \times L$	1	$1\frac{1}{4}$	$\frac{3}{4} - \frac{7}{8} - 1 - 1\frac{1}{8} - 1\frac{1}{4} - 1\frac{3}{8} - 1\frac{1}{2} - 1\frac{5}{8} - 1\frac{3}{4} - 2$
$1 \times 1\frac{1}{2} \times L$	1	$1\frac{1}{2}$	$1 - 1\frac{3}{8} - 1\frac{1}{2} - 1\frac{3}{4} - 2$
$1\frac{1}{8} \times 1\frac{1}{8} \times L$	$1\frac{1}{8}$	$1\frac{3}{8}$	$\frac{3}{4} - 1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2$
$1\frac{1}{4} \times 1\frac{1}{2} \times L$	$1\frac{1}{4}$	$1\frac{1}{2}$	$\frac{7}{8} - 1 - 1\frac{1}{4} - 1\frac{3}{8} - 1\frac{1}{2} - 1\frac{3}{4} - 1\frac{7}{8} - 2$
$1\frac{1}{4} \times 1\frac{5}{8} \times L$	$1\frac{1}{4}$	$1\frac{5}{8}$	$1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{2}$
$1\frac{3}{8} \times 1\frac{5}{8} \times L$	$1\frac{3}{8}$	$1\frac{5}{8}$	$1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2$
$1\frac{3}{8} \times 1\frac{3}{4} \times L$	$1\frac{3}{8}$	$1\frac{3}{4}$	$1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{4}$
$1\frac{1}{2} \times 1\frac{3}{4} \times L$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{4}$
$1\frac{1}{2} \times 1\frac{7}{8} \times L$	$1\frac{1}{2}$	$1\frac{7}{8}$	$1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{4}$
$1\frac{1}{2} \times 2 \times L$	$1\frac{1}{2}$	2	$1\frac{1}{2} - 2 - 2\frac{1}{2} - 3$
$1\frac{5}{8} \times 2\frac{1}{16} \times L$	$1\frac{5}{8}$	$2\frac{1}{16}$	$1\frac{7}{8} - 2 - 2\frac{1}{2}$
$1\frac{3}{4} \times 2 \times L$	$1\frac{3}{4}$	2	$1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{4}$
$1\frac{3}{4} \times 2\frac{1}{4} \times L$	$1\frac{3}{4}$	$2\frac{1}{4}$	$1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{4}$
$2 \times 2\frac{1}{4} \times L$	2	$2\frac{1}{4}$	$1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{2}$
$2 \times 2\frac{3}{8} \times L$	2	$2\frac{3}{8}$	$1\frac{1}{2} - 2\frac{1}{2} - 3$
$2 \times 2\frac{1}{2} \times L$	2	$2\frac{1}{2}$	$1\frac{1}{2} - 1\frac{3}{4} - 2 - 2\frac{1}{4} - 2\frac{1}{2} - 3$
$2\frac{1}{4} \times 2\frac{5}{8} \times L$	$2\frac{1}{4}$	$2\frac{5}{8}$	$2\frac{1}{2} - 3$
$2\frac{1}{4} \times 2\frac{3}{4} \times L$	$2\frac{1}{4}$	$2\frac{3}{4}$	$1\frac{1}{2} - 2 - 2\frac{1}{2} - 3$
$2\frac{1}{2} \times 2\frac{7}{8} \times L$	$2\frac{1}{2}$	$2\frac{7}{8}$	$2\frac{1}{2} - 3$
$2\frac{1}{2} \times 3 \times L$	$2\frac{1}{2}$	3	$1\frac{1}{2} - 2 - 2\frac{1}{2} - 3$
$3 \times 3\frac{1}{2} \times L$	3	$3\frac{1}{2}$	$2\frac{1}{2} - 3$
$3\frac{1}{2} \times 4 \times L$	$3\frac{1}{2}$	4	3
$4 \times 4\frac{1}{2} \times L$	4	$4\frac{1}{2}$	4

Non-standard lengths can be supplied. If the size you require is not listed please contact our sales dept. We also offer a specialised machining service for low volume non-standard sizes and tolerances.



## 'Oilube®' Sintered Imperial Flanged Bearings

Reference	Bore	Outside Diameter	Lengths (L)	Flange Size (Outside Diameter x Width)
$\frac{3}{16} \times \frac{5}{16} \times L - \frac{3}{4} \times \frac{1}{8}$	$\frac{3}{16}$	$\frac{5}{16}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2}$	$\frac{3}{8} \times \frac{1}{16}$
$\frac{1}{4} \times \frac{3}{8} \times L - \frac{1}{2} \times \frac{1}{16}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2} - \frac{3}{4}$	$\frac{1}{2} \times \frac{1}{16}$
$\frac{5}{16} \times \frac{1}{2} \times L - \frac{5}{8} \times \frac{1}{16}$	$\frac{5}{16}$	$\frac{1}{2}$	$\frac{1}{4} - \frac{3}{8} - \frac{1}{2} - \frac{3}{4}$	$\frac{5}{8} \times \frac{1}{16}$
$\frac{3}{8} \times \frac{1}{2} \times L - \frac{5}{8} \times \frac{1}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2} - \frac{7}{8}$	$\frac{5}{8} \times \frac{1}{16}$
$\frac{3}{8} \times \frac{1}{2} \times L - \frac{5}{8} \times 0.14$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2} - \frac{3}{4} - \frac{7}{8}$	$\frac{5}{8} \times 0.14$
$\frac{3}{8} \times \frac{9}{16} \times L - \frac{3}{4} \times \frac{1}{16}$	$\frac{3}{8}$	$\frac{9}{16}$	$\frac{1}{2}$	$\frac{3}{4} \times \frac{1}{16}$
$\frac{3}{8} \times \frac{5}{8} \times L - \frac{3}{4} \times \frac{1}{8}$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{3}{8} - \frac{1}{2} - \frac{5}{8} - \frac{3}{4}$	$\frac{3}{4} \times \frac{1}{8}$
$\frac{7}{16} \times \frac{9}{16} \times L - \frac{3}{4} \times \frac{1}{16}$	$\frac{7}{16}$	$\frac{9}{16}$	$\frac{1}{2} - \frac{5}{8} - \frac{3}{4}$	$\frac{3}{4} \times \frac{1}{16}$
$\frac{1}{2} \times \frac{5}{8} \times L - \frac{3}{4} \times \frac{3}{32}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{1}{2} - 1$	$\frac{3}{4} \times \frac{3}{32}$
$\frac{1}{2} \times \frac{3}{4} \times L - 1 \times \frac{1}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2} - \frac{3}{4} - 1 - 1\frac{1}{8}$	$1 \times \frac{1}{8}$
$\frac{5}{8} \times \frac{3}{4} \times L - 1\frac{1}{8} \times \frac{3}{32}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{1}{2} - 1 - 1\frac{1}{8}$	$1\frac{1}{8} \times \frac{3}{32}$
$\frac{5}{8} \times \frac{7}{8} \times L - 1\frac{1}{4} \times \frac{1}{8}$	$\frac{5}{8}$	$\frac{7}{8}$	$\frac{1}{2} - \frac{3}{4} - 1 - 1\frac{1}{8} - 1\frac{1}{4}$	$1\frac{1}{4} \times \frac{1}{8}$
$\frac{3}{4} \times 1 \times L - 1\frac{3}{8} \times \frac{1}{8}$	$\frac{3}{4}$	1	$\frac{3}{4} - 1 - 1\frac{1}{4} - 1\frac{1}{2}$	$1\frac{3}{8} \times \frac{1}{8}$
$\frac{7}{8} \times 1 \times L - 1\frac{1}{4} \times \frac{1}{8}$	$\frac{7}{8}$	1	1	$1\frac{1}{4} \times \frac{1}{8}$
$\frac{7}{8} \times 1\frac{1}{8} \times L - 1\frac{5}{8} \times \frac{1}{8}$	$\frac{7}{8}$	$1\frac{1}{8}$	$\frac{3}{4} - 1 - 1\frac{1}{4} - 1\frac{1}{2}$	$1\frac{5}{8} \times \frac{1}{8}$
$1 \times 1\frac{1}{4} \times L - 1\frac{3}{4} \times \frac{1}{8}$	1	$1\frac{1}{4}$	$1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2$	$1\frac{3}{4} \times \frac{1}{8}$
$1 \times 1\frac{1}{4} \times L - 1\frac{1}{2} \times \frac{1}{8}$	1	$1\frac{1}{4}$	$\frac{3}{4} - 1 - 1\frac{1}{8} - 1\frac{1}{2}$	$1\frac{1}{2} \times \frac{1}{8}$
$1\frac{1}{8} \times 1\frac{3}{8} \times L - 1\frac{7}{8} \times \frac{1}{8}$	$1\frac{1}{8}$	$1\frac{3}{8}$	$1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4}$	$1\frac{7}{8} \times \frac{1}{8}$
$1\frac{1}{4} \times 1\frac{1}{2} \times L - 1\frac{7}{8} \times \frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$\frac{3}{4} - 1\frac{1}{4} - 1\frac{1}{2}$	$1\frac{7}{8} \times \frac{1}{8}$
$1\frac{1}{4} \times 1\frac{5}{8} \times L - 2 \times \frac{1}{8}$	$1\frac{1}{4}$	$1\frac{5}{8}$	$1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4}$	$2 \times \frac{1}{8}$
$1\frac{3}{8} \times 1\frac{5}{8} \times L - 1\frac{7}{8} \times \frac{1}{8}$	$1\frac{3}{8}$	$1\frac{5}{8}$	$\frac{3}{4} - 1\frac{1}{4}$	$1\frac{7}{8} \times \frac{1}{8}$
$1\frac{1}{2} \times 1\frac{3}{4} \times L - 1\frac{7}{8} \times \frac{1}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2} - 1\frac{7}{8}$	$1\frac{7}{8} \times \frac{1}{8}$
$1\frac{1}{2} \times 1\frac{7}{8} \times L - 2\frac{1}{2} \times \frac{3}{16}$	$1\frac{1}{2}$	$1\frac{7}{8}$	$1 - 1\frac{1}{4} - 1\frac{1}{2} - 1\frac{3}{4} - 2$	$2\frac{1}{2} \times \frac{3}{16}$

Non-standard lengths can be supplied. If the size you require is not listed please contact our sales dept. We also offer a specialised machining service for low volume non-standard sizes and tolerances.

## 'Oilube®' Sintered Imperial Washers

Reference		
Bore	Outside Diameter	Length
$\frac{3}{8}$	$\frac{5}{8}$	$\frac{1}{16} \frac{1}{8}$
$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{16}$
$\frac{1}{2}$	$\frac{7}{8}$	$\frac{1}{8}$
$\frac{1}{2}$	1	$\frac{1}{16} \frac{3}{32} \frac{1}{8}$
$1\frac{7}{32}$	$1\frac{1}{8}$	$\frac{1}{16}$
$\frac{5}{8}$	1	$\frac{1}{16}$
$\frac{5}{8}$	$1\frac{1}{4}$	$\frac{1}{8}$
$2\frac{1}{32}$	$1\frac{1}{4}$	$\frac{3}{32}$
$\frac{3}{4}$	$1\frac{1}{4}$	$\frac{1}{16} \frac{1}{8}$
$2\frac{5}{32}$	$1\frac{1}{2}$	$\frac{1}{8}$
$\frac{7}{8}$	$1\frac{1}{2}$	$\frac{1}{8}$
$\frac{7}{8}$	$1\frac{55}{64}$	$\frac{1}{8}$
1	$1\frac{1}{2}$	$\frac{1}{8}$
1	$1\frac{25}{32}$	$\frac{1}{8}$
$1\frac{1}{32}$	2	$\frac{1}{8}$
$1\frac{1}{4}$	$1\frac{7}{8}$	$\frac{1}{8}$
$1\frac{1}{4}$	3	$\frac{1}{8} \frac{1}{4}$
$1\frac{13}{32}$	$2\frac{1}{2}$	$\frac{5}{32}$
$1\frac{1}{2}$	$2\frac{1}{2}$	$\frac{1}{8}$
$1\frac{1}{2}$	$3\frac{1}{2}$	$\frac{3}{16}$
$1\frac{5}{8}$	$2\frac{3}{8}$	$\frac{1}{8}$
$1\frac{3}{4}$	$2\frac{5}{8}$	$\frac{1}{8}$
2	3	$\frac{1}{4}$
$2\frac{1}{4}$	$3\frac{1}{2}$	$\frac{1}{8}$



Other sizes available – please contact our sales dept.



### 'Oilube®' Sintered Cored Bars

Reference			Metric Equivalent (mm)		
Bore	Outside Diameter	Length	Bore	Outside Diameter	Length
1/2	1	6 1/2	12.7	25.4	165
1/2	1 1/2	6 1/2	12.7	38.1	165
3/4	1 1/2	6 1/2	15.88	34.9	165
3/4	1 1/2	6 1/2	15.88	38.1	165
3/4	2	6 1/2	19.05	50.8	165
7/8	1 1/2	6 1/2	22.23	38.1	165
7/8	2	6 1/2	22.23	50.8	165
7/8	2 1/4	6 1/2	22.23	57.2	165
1	1 1/2	6 1/2	25.4	38.0	165
1	1 1/2	6 1/2	25.4	41.2	165
1	2	6 1/2	25.4	50.8	165
1	3	6 1/2	25.4	76.2	165
1 1/4	2 1/4	6 1/2	28.5	54.0	165
1 1/2	2 1/2	6 1/2	38.1	63.5	165
1 1/2	3	6 1/2	38.1	76.2	165
1 1/4	3	6 1/2	44.45	76.2	165
1 1/2	3 1/2	6 1/2	44.45	88.90	165
2	3	6 1/2	50.8	76.2	165
2	4	6 1/2	50.8	101.6	165
2	4 1/2	6 1/2	50.8	114.3	165
2 1/4	4 1/2	6 1/2	57.0	114.3	165
2 1/2	3	6 1/2	60.3	76.2	165
2 1/2	3 1/2	6 1/2	63.5	89.0	165
2 1/2	4	6 1/2	63.5	101.6	165
2 1/2	3 1/2	6 1/2	63.5	89.0	165
2 1/2	5	6 1/2	63.5	127.0	165
3	4	6 1/2	76.2	101.6	165
3	4 1/2	6 1/2	76.2	114.3	165
3 1/2	4 1/2	6 1/2	89.0	120.6	165
3 1/2	5	6 1/2	95.25	127.0	165
4	6	6 1/2	101.6	152.4	165
4 1/2	6	6 1/2	114.3	152.4	165
5	7	6 1/2	127.0	177.8	165
5	7	6 1/2	127.0	177.8	165

All bores and outside diameters have a 1/16 (1.5mm) machining allowance so as to enable actual sizes listed to be achieved. Many other sizes are available to order. We offer a competitive machining and re-lubricating service – please contact our sales dept.

### 'Oilube®' Sintered Solid Bars

Reference		Metric Equivalent (mm)	
Outside Diameter	Length	Outside Diameter	Length
3/4	3	9.5	76.2
1/2	6 1/2	12.7	165
3/4	2	19	52
0.787	2.047	20	52
1	6 1/2	25.4	165
1 1/4	6 1/2	28.5	165
1 1/2	6 1/2	38.1	165
1.574	2.047	40	52
2	6 1/2	50.8	165
2.362	2.362	60	60
2 1/2	6 1/2	70	165
3.149	3.149	80	80
3 1/2	6 1/2	82.5	165
6	6 1/2	152	165
8	6 1/2	203	165



We offer a competitive machining and re-lubricating service – please contact our sales dept.

### ISO Tolerances

#### Basic Sizes (over) - to

#### Useful Metric ISO Tolerances in mm

	E7	F7	F8	G7	G8	H7	IT9	IT10	js13	f7	h8	h13	m5	r6	r7	s5	s7	s8
(0) -3	+0.024	+0.016	+0.020	+0.012	+0.016	+0.010	0.025	0.040	+0.070	-0.006	0	0	+0.006	+0.016	+0.020	+0.018	+0.024	+0.028
	+0.014	+0.006	+0.006	+0.002	+0.002	0			-0.070	-0.016	-0.014	-0.140	+0.002	+0.010	+0.010	+0.014	+0.014	+0.014
(3) -6	+0.032	+0.022	+0.028	+0.016	+0.022	+0.012	0.030	0.048	+0.090	-0.010	0	0	+0.009	+0.023	+0.027	+0.024	+0.031	+0.037
	+0.020	+0.010	+0.010	+0.004	+0.004	0			-0.090	-0.022	-0.018	-0.180	+0.004	+0.015	+0.015	+0.019	+0.019	+0.019
(6) -10	+0.040	+0.028	+0.035	+0.020	+0.027	+0.015	0.036	0.058	+0.110	-0.013	0	0	+0.012	+0.028	+0.034	+0.029	+0.038	+0.045
	+0.025	+0.013	+0.013	+0.005	+0.005	0			-0.110	-0.028	-0.022	-0.220	+0.006	+0.019	+0.019	+0.023	+0.023	+0.023
(10) -18	+0.050	+0.034	+0.043	+0.024	+0.033	+0.018	0.043	0.070	+0.135	-0.016	0	0	+0.015	+0.034	+0.041	+0.036	+0.046	+0.055
	+0.032	+0.016	+0.016	+0.006	+0.006	0			-0.135	-0.034	-0.027	-0.270	+0.007	+0.023	+0.023	+0.028	+0.028	+0.028
(18) -30	+0.061	+0.041	+0.053	+0.028	+0.040	+0.021	0.052	0.084	+0.165	-0.020	0	0	+0.017	+0.041	+0.049	+0.044	+0.056	+0.068
	+0.040	+0.020	+0.020	+0.007	+0.007	0			-0.165	-0.041	-0.033	-0.330	+0.008	+0.028	+0.028	+0.035	+0.035	+0.035
(30) -50	+0.075	+0.050	+0.064	+0.034	+0.048	+0.025	0.062	0.100	+0.195	-0.025	0	0	+0.020	+0.050	+0.059	+0.054	+0.068	+0.082
	+0.050	+0.025	+0.025	+0.009	+0.009	0			-0.195	-0.050	-0.039	-0.390	+0.009	+0.034	+0.034	+0.043	+0.043	+0.043
(50) -65	+0.090	+0.060	+0.076	+0.040	+0.056	+0.030	0.074	0.120	+0.230	-0.030	0	0	+0.024	+0.060	+0.071	+0.066	+0.083	+0.099
	+0.060	+0.030	+0.030	+0.010	+0.010	0			-0.230	-0.060	-0.046	-0.460	+0.011	+0.041	+0.041	+0.053	+0.053	+0.053
(65) -80	+0.090	+0.060	+0.076	+0.040	+0.056	+0.030	0.074	0.120	+0.230	-0.030	0	0	+0.024	+0.062	+0.073	+0.072	+0.089	+0.105
	+0.060	+0.030	+0.030	+0.010	+0.010	0			-0.230	-0.060	-0.046	-0.460	+0.011	+0.043	+0.043	+0.059	+0.059	+0.059
(80) -100	+0.107	+0.071	+0.090	+0.047	+0.066	+0.035	0.087	0.140	+0.270	-0.036	0	0	+0.028	+0.073	+0.086	+0.086	+0.106	+0.125
	+0.072	+0.036	+0.036	+0.012	+0.012	0			-0.270	-0.071	-0.054	-0.540	+0.013	+0.051	+0.051	+0.071	+0.071	+0.071
(100) -120	+0.107	+0.071	+0.090	+0.047	+0.066	+0.035	0.087	0.140	+0.270	-0.036	0	0	+0.028	+0.076	+0.089	+0.094	+0.114	+0.133
	+0.072	+0.036	+0.036	+0.012	+0.012	0			-0.270	-0.071	-0.054	-0.540	+0.013	+0.054	+0.054	+0.079	+0.079	+0.079

### Power Transmission Engineering Ltd

Unit 18 Whitemoor Court Industrial Estate, Nuthall Road, Nottingham, NG8 5BY

Tel: +44 (0) 115 929 0001 / Fax: +44 (0) 115 929 0008 / Email: sales@pte-ltd.co.uk





### 'Oilube®' Sintered Metric Spherical Bearings

#### Reference

Bore	Spherical Diameter	Length
3.18	8	6
3.5	8	6
4	8	6
4	9	5
4	10	7
4	12	8
4.5	9	5
4.5	12	8
5	10	7
5	12	8
5	12	9
5	13	8
5	13	9
6	10	4
6	12	8
6	12	9
6	13	8
6	13	9
7	13	8
7	14	10
7	16	11
8	13.5	9
8	14	10
8	16	11
9	16	12

### 'Oilube®' Sintered Metric Spherical Bearings with Collars

#### Reference

Bore	Spherical Dia	Collar Dia	Collar Length
4	9	6	2
5	12	9	3
6	12	9	2

All spherical bearings can be supplied in various grades of sintered bronze and iron, with lubricants to suit different applications. Spherical bearings can be supplied with one or two collars. Various bore tolerances and non-standard lengths can be supplied. Imperial sizes also available.



### Power Transmission Engineering Ltd

Unit 18 Whitemoor Court Industrial Estate, Nuthall Road, Nottingham, NG8 5BY  
 Tel: +44 (0) 115 929 0001 / Fax: +44 (0) 115 929 0008 / Email: sales@pte-ltd.co.uk