



d	D	B	rs min	cr	cor	grease	oil	designation	snapping
3	10	4	0.1	0.64	0.23	40000	48000	623	
3	10	4	0.1	0.64	0.23	40000		623 2ZR	
4	13	5	0.2	1.3	0.49	38000	45000	624	
4	13	5	0.2	1.3	0.49	38000		624 2ZR	
4	16	5	0.3	1.2	0.5	34000	40000	634	
4	16	5	0.3	1.2	0.5	34000		634 2ZR	
5	11	3	0.1	0.64	0.26	55000	65000	618/5	
5	16	5	0.3	1.9	0.69	34000	40000	625	
5	16	5	0.3	1.9	0.69	34000		625 2ZR	
5	19	6	0.3	1.7	0.72	32000	38000	635	
5	19	6	0.3	1.7	0.72	32000		635 2ZR	
6	13	3.5	0.1	1	0.44	50000	59000	618/6	
6	15	5	0.2	1.45	0.6	47000	56000	619/6	
6	19	6	0.3	2.2	0.89	32000	38000	626	
6	19	6	0.3	2.2	0.89	32000		626 2ZR	
6	19	6	0.3	2.2	0.89	22000		626 2RSR	
7	14	3.5	0.1	0.96	0.4	47000	56000	618/7	
7	17	5	0.3	2.1	0.8	44000	51000	619/7Y	
7	19	6	0.3	2.25	0.89	32000	38000	607	
7	19	6	0.3	2.25	0.89	32000		607 2ZR	
7	19	6	0.3	2.25	0.89	22000		607 2RSR	
7	22	7	0.3	3.3	1.35	30000	36000	627	
7	22	7	0.3	3.3	1.35	30000		627 2ZR	
7	22	7	0.3	3.3	1.35	20000		627 2RSR	
8	16	4	0.2	1.35	0.57	44000	51000	618/8	
8	19	6	0.3	1.6	0.74	40000	47000	619/8	
8	22	7	0.3	3.3	1.35	30000	36000	608	
8	22	7	0.3	3.3	1.35	30000		608 2ZR	
8	22	7	0.3	3.3	1.35	20000		608 2RSR	
9	17	4	0.2	1.45	0.64	40000	47000	618/9	
9	20	6	0.3	2.65	1.1	37000	43000	619/9	
9	24	7	0.3	3.35	1.4	30000	36000	609	
9	24	7	0.3	3.35	1.4	30000		609 2ZR	

9	24	7	0.3	3.35	1.4	20000		609 2RSR	
9	26	8	0.3	4.55	1.95	28000	34000	629	
9	26	8	0.3	4.55	1.95	26000		629 2ZR	
9	26	8	0.3	4.55	1.95	18000		629 2RSR	
10	19	5	0.3	1.7	0.83	37000	43000	61800	
10	22	6	0.3	1.95	0.75	34000	41000	61900TN	
10	26	8	0.3	4.55	1.95	28000	34000	6000TN	
10	26	8	0.3	4.55	1.95	28000		6000 2ZR	
10	26	8	0.3	4.55	1.95	17000		6000 2RSR	
10	28	8	0.3	4.55	1.95	28000	34000	16100	
10	30	9	0.6	5.1	2.4	32000	38000	6200TN	
10	30	9	0.6	5.1	2.4	26000		6200 2ZR	
10	30	9	0.6	5.1	2.4	17000		6200 2RSR	
10	35	11	0.6	8.1	3.45	20000	26000	6300	
10	35	11	0.6	8.1	3.45	20000		6300 2ZR	
10	35	11	0.6	8.1	3.45	14000		6300 2RSR	
12	21	5	0.3	1.8	0.95	33000	39000	61801	
12	21	5	0.3	1.45	0.67	33000	39000	61801 NR	SR21
12	24	6	0.3	2.9	1.45	31000	36000	61901	
12	24	6	0.3	2.9	1.45	31000	36000	61901 NR	SR24
12	28	8	0.3	5.1	2.4	26000	32000	6001	
12	28	8	0.3	5.1	2.4	26000	32000	6001TN	
12	28	8	0.3	5.1	2.4	26000		6001 2ZR	
12	28	8	0.3	5.1	2.4	17000		6001 2RSR	
12	30	8	0.3	5.1	2.4	26000	32000	16101	
12	32	10	0.6	6.8	3.05	22000	28000	6201	
12	32	10	0.6	6.8	3.05	22000	28000	6201TN	
12	32	10	0.6	6.8	3.05	22000		6201 2ZR	
12	32	10	0.6	6.8	3.05	15000		6201 2RSR	
12	32	14	0.6	6.8	3.05	22000		62201 2RSR	
12	37	12	1	9.65	4.15	19000	24000	6301	
12	37	12	1	9.65	4.15	19000		6301 2ZR	
12	37	12	1	9.65	4.15	12000		6301 2RSR	
15	24	5	0.3	2	1.25	28000	33000	61802	
15	24	5	0.3	2	1.25	28000	33000	61802 NR	SR24
15	28	7	0.3	4	2.05	26000	30000	61902	
15	28	7	0.3	4	2.05	26000	30000	61902 NR	SR28
15	30	8	0.3	4	2.05	22000	28000	16002	
15	32	9	0.3	5.6	2.85	22000	28000	6002	
15	32	9	0.3	5.6	2.85	22000		6002 2ZR	
15	32	9	0.3	5.6	2.85	14000		6002 2RSR	
15	35	11	0.6	7.65	3.75	19000	24000	6202	
15	35	11	0.6	7.65	3.75	19000		6202 2ZR	
15	35	11	0.6	7.65	3.75	19000	24000	6202TN	
15	35	11	0.6	7.65	3.75	13000		6202 2RSR	
15	35	14	0.6	7.65	3.75	19000		62202 2RSR	
15	42	13	1	11.4	5.45	17000	20000	6302	

15	42	13	1	11.4	5.45	17000		6302 2ZR	
15	42	13	1	11.4	5.45	11000		6302 2RSR	
15	42	17	1	11.4	5.45	17000		62302 2RSR	
17	26	5	0.3	2.2	1.4	26000	32000	61803	
17	30	7	0.3	4.35	2.3	26000	32000	61903	
17	35	8	0.3	6	3.25	20000	26000	16003	
17	35	10	0.3	6	3.25	20000	26000	6003	
17	35	10	0.3	6	3.25	20000		6003 2ZR	
17	35	10	0.3	6	3.25	12000		6003 2RSR	
17	40	12	0.6	9.55	4.8	17000	20000	6203	
17	40	12	0.6	9.55	4.8	17000	20000	6203TN	
17	40	12	0.6	9.55	4.8	17000		6203 2ZR	
17	40	12	0.6	9.55	4.8	11000		6203 2RSR	
17	40	12	0.6	9.55	4.8	17000	20000	6203 NR	SP40
17	40	16	1	9.55	4.8	17000	20000	62203 2RSR	
17	47	14	1	13.4	6.55	16000	19000	6303	
17	47	14	1	13.4	6.55	16000		6303 2ZR	
17	47	14	1	13.4	6.55	11000		6303 2RSR	
17	47	19	1	13.4	6.55	16000		62303 2RSR	
17	62	17	1.1	22.5	11	12000	15000	6403	
17	62	17	1.1	22.5	11	12000	15000	6403 NR	SP62
20	32	7	0.3	3.45	2.25	20000	26000	61804	
20	32	7	0.3	3.45	2.25	21000	25000	61804 NR	SR32
20	37	9	0.3	6.55	3.65	19000	23000	61904	
20	37	9	0.3	6.55	3.65	19000	23000	61904 NR	SR37
20	42	8	0.3	7.95	4.5	17000	20000	16004	
20	42	12	0.6	9.4	5.05	17000	20000	6004	
20	42	12	0.6	9.4	5.05	17000		6004 2ZR	
20	42	12	0.6	9.4	5.05	11000		6004 2RSR	
20	47	14	1	12.8	6.65	15000	18000	6204	
20	47	14	1	12.8	6.65	15000	18000	6204TN	
20	47	14	1	12.8	6.65	15000		6204 2ZR	
20	47	14	1	12.8	6.65	10000		6204 2RSR	
20	47	14	1	12.8	6.65	15000	18000	6204 NR	SP47
20	47	18	1	12.8	6.65	15000		62204 2RSR	
20	52	15	1.1	15.9	7.9	13000	16000	6304	
20	52	15	1.1	15.9	7.9	13000	16000	6304TN	
20	52	15	1.1	15.9	7.9	13000	16000	6304MAP5	
20	52	15	1.1	15.9	7.9	13000		6304 2ZR	
20	52	15	1.1	15.9	7.9	8000		6304 2RSR	
20	52	15	1.1	15.9	7.9	13000	16000	6304 NR	SP52
20	52	21	1.1	15.9	7.9	13000		62304 2RSR	
20	72	19	1.1	31	15.2	10000	13000	6404	
22	50	14	1	12.9	6.8	15000	17000	62/22	
22	50	14	1	12.9	6.8	15000		62/22 2ZR	
22	50	14	1	12.9	6.8	15000		62/22 2RSR	
22	56	16	1.1	18.5	9.5	13000	15000	63/22	

22	56	16	1.1	18.5	9.5	13000		63/22 2ZR	
22	56	16	1.1	18.5	9.5	13000		63/22 2RSR	
25	37	7	0.3	4.35	2.6	18000	25000	61805	
25	42	9	0.3	6.65	4.1	16000	19000	61905	
25	47	8	0.3	8.4	5.1	15000	18000	16005	
25	47	12	0.6	10.1	5.85	15000	18000	6005TN	
25	47	12	0.6	10.1	5.85	15000		6005 2ZR	
25	47	12	0.6	10.1	5.85	9500		6005 2RSR	
25	52	15	1	14	7.85	12000	15000	6205	
25	52	15	1	14	7.85	12000		6205 2ZR	
25	52	15	1	14	7.85	8000		6205 2RSR	
25	52	15	1	14	7.85	12000	15000	6205 NR	SP52
25	52	18	1	14	7.85	12000		62205 2RSR	
25	62	17	1.1	20.6	11.3	11000	14000	6305	
25	62	17	1.1	20.6	11.3	11000	14000	6305MAP5	
25	62	17	1.1	20.6	11.3	11000		6305 2ZR	
25	62	17	1.1	20.6	11.3	7500		6305 2RSR	
25	62	17	1.1	20.6	11.3	11000	14000	6305 NR	SP62
25	62	24	1.1	20.6	11.3	11000		62305 2RSR	
25	80	21	1.5	37	18.8	9000	11000	6405	
25	80	21	1.5	37	18.8	9000	11000	6405 NR	SP80
28	68	18	1.1	19.5	11.5	10000		63/28 2RSR	
28	58	16	1	10.7	6.65	14000	16000	62/28	
28	58	16	1	10.7	6.65	14000		62/28 2ZR	
28	58	16	1	10.7	6.65	14000		62/28 2RSR	
28	68	18	1.1	19.5	11.5	10000	12000	63/28	
28	68	18	1.1	19.5	11.5	10000		63/28 2ZR	
30	42	7	0.3	4.4	2.9	15000	18000	61806	
30	42	7	0.3	4.4	2.9	15000	18000	61806 NR	SR42
30	47	9	0.3	7.8	4.7	14000	17000	61906	
30	47	9	0.3	7.8	4.7	14000	17000	61906 NR	SR47
30	55	9	3	11.2	7.35	12000	15000	16006	
30	55	13	1	13.2	8.25	12000	15000	6006TN	
30	55	13	1	13.2	8.25	12000		6006 2ZR	
30	55	13	1	13.2	8.25	7000		6006 2RSR	
30	55	13	1	13.2	8.25	12000	15000	6006 NR	SP55
30	62	16	1	19.5	11.3	10000	13000	6206	
30	62	16	1	19.5	11.3	10000		6206 2ZR	
30	62	16	1	19.5	11.3	7500		6206 2RSR	
30	62	16	1	19.5	11.3	10000	10000	6206 NR	SP62
30	62	20	1	19.5	11.3	10000		62206 2RSR	
30	72	19	1.1	29.9	15.8	9000	11000	6306	
30	72	19	1.1	29.9	15.8	9000	11000	6306MAP5	
30	72	19	1.1	29.9	15.8	9000		6306 2ZR	
30	72	19	1.1	29.9	15.8	6000		6306 2RSR	
30	72	19	1.1	29.9	15.8	9000	11000	6306 NR	SP72
30	72	27	1.1	26.6	14.9	9000		62306 2RSR	

30	90	23	1.5	47.3	24.5	8500	10000	6406	
30	90	23	1.5	47.3	24.5	8500	10000	6406 NR	SP90
32	65	17	1	23	13	10000	12000	62/32	
32	65	17	1	23	13	10000		62/32 2ZR	
32	65	17	1	23	13	10000		62/32 2RSR	
32	75	20	1.1	30	16	9000	11000	63/32	
32	75	20	1.1	30	16	9000		63/32 2ZR	
32	75	20	1.1	30	16	9000		63/32 2RSR	
35	47	7	0.3	4	3.25	13000	16000	61807	
35	55	10	0.6	9.5	6.2	12000	14000	61907	
35	62	9	0.3	12.2	8.85	10000	13000	16007	
35	62	14	1	15.9	10.3	10000	13000	6007	
35	62	14	1	15.9	10.3	10000		6007 2ZR	
35	62	14	1	15.9	10.3	7000		6007 2RSR	
35	62	14	1	15.9	10.3	10000	13000	6007 NR	SP62
35	72	17	1.1	25.7	15.4	9000	11000	6207 K	
35	72	17	1.1	25.7	15.4	9000	11000	6207TN	
35	72	17	1.1	25.7	15.4	9000	11000	6207MAP6	
35	72	17	1.1	25.7	15.4	9000	11000	6207P6	
35	72	17	1.1	25.7	15.4	9000	11000	6207P5	
35	72	17	1.1	25.7	15.4	9000		6207 2ZR	
35	72	17	1.1	25.7	15.4	6000		6207 2RSR	
35	72	17	1.1	25.7	15.4	9000	11000	6207 NR	SP72
35	72	17	1.1	25.7	15.4	9000	11000	6207 NR P6	SP72
35	72	17	1.1	25.7	15.4	9000	11000	6207MA	
35	72	23	1.1	25.7	15.4	9000		62207 2RSR	
35	80	21	1.5	33.5	18.3	8500	10000	6307	
35	80	21	1.5	33.5	18.3	8500	10000	6307 K	
35	80	21	1.5	33.5	18.3	8500	10000	6307P6	
35	80	21	1.5	33.5	18.3	8500	10000	6307P5	
35	80	21	1.5	33.5	18.3	8500		6307 2ZR	
35	80	21	1.5	33.5	18.3	8500		6307 2ZR P5	
35	80	21	1.5	33.5	18.3	5600		6307 2RSR	
35	80	21	1.5	33.5	18.3	5600		6307 2RSR P6	
35	80	21	1.5	33.5	18.3	5600		6307 2RSR P5	
35	80	21	1.5	33.5	18.3	8500	10000	6307 NR	SP80
35	80	31	1.5	33.5	18.3	8500		62307 2RSR	
35	100	25	1.5	55.5	29.4	7000	8500	6407	
35	100	25	1.5	55.5	29.4	7000	8500	6407 NR	SP100
40	52	7	0.3	4.5	4.05	11000	14000	61808P5	
40	52	7	0.3	4.5	4.05	12000	14000	61808 NR	SR52
40	62	12	0.6	14.5	10.2	11000	13000	61908	
40	62	12	0.6	14.5	10.2	11000	13000	61908 NR	SR62
40	68	9	0.3	13.3	9.8	9500	12000	16008	
40	68	15	1	16.8	11.6	9500	12000	6008	
40	68	15	1	16.8	11.6	9500		6008 2ZR	

40	68	15	1	16.8	11.6	6000		6008 2RSR	
40	68	15	1	16.8	11.6	9500	12000	6008 NR	SP68
40	80	18	1.1	32	17.8	8500	10000	6208	
40	80	18	1.1	32	17.8	8500	10000	6208 K	
40	80	18	1.1	32	17.8	8500	10000	6208P6	
40	80	18	1.1	32	17.8	8500	10000	6208P5	
40	80	18	1.1	32	17.8	8500		6208 2ZR	
40	80	18	1.1	32	17.8	8500		6208 2ZR P5	
40	80	18	1.1	32	17.8	5600		6208 2RSR	
40	80	18	1.1	32	17.8	5600		6208 2RSR P5	
40	80	18	1.1	32	17.8	8500	10000	6208 NR	SP80
40	80	18	1.1	32	17.8	8500	10000	6208MB	
40	80	18	1.1	32	17.8	8500	10000	6208NMA	
40	80	23	1.1	32	19.8	8500		62208 2RSR	
40	90	23	1.5	40.7	24	7500	9000	6308	
40	90	23	1.5	40.7	24	7500	9000	6308 K	
40	90	23	1.5	40.7	24	7500	9000	6308TN	
40	90	23	1.5	40.7	24	7500	9000	6308P6	
40	90	23	1.5	40.7	24	7500	9000	6308P5	
40	90	23	1.5	40.7	24	7500		6308 2ZR	
40	90	23	1.5	40.7	24	7500		6308 2ZR P5	
40	90	23	1.5	40.7	24	5000		6308 2RSR	
40	90	23	1.5	40.7	24	7500	9000	6308NMA	
40	90	23	1.5	40.7	24	7500	9000	6308 NR	SP90
40	90	33	1.5	40.7	24	7500		62308 2RSR	
40	110	27	2	64	35	6700	7500	6408	
40	110	27	2	64	35	6700	8000	6408 NR	SP110
45	58	7	0.3	6.4	5.6	9500	12000	61809	
45	68	12	0.6	14	9.8	9700	11000	61909	
45	75	10	0.6	15.5	12.3	9000	11000	16009	
45	75	16	1	21	15	9000	11000	6009	
45	75	16	1	21	15	9000	11000	6009P5	
45	75	16	1	21	15	9000	11000	6009P4	
45	75	16	1	21	15	9000		6009 2ZR	
45	75	16	1	21	15	9000		6009 2ZR P4	
45	75	16	1	21	15	5600		6009 2RSR	
45	75	16	1	21	15	9000	11000	6009 NR	SP75
45	85	19	1.1	32.7	20.2	7500	9000	6209	
45	85	19	1.1	32.7	20.2	7500	9000	6209 K	
45	85	19	1.1	32.7	20.2	7500	9000	6209P6	
45	85	19	1.1	32.7	20.2	7500	9000	6209P5	
45	85	19	1.1	32.7	20.2	8000		6209 2ZR	
45	85	19	1.1	32.7	20.2	8000		6209 2ZR P5	
45	85	19	1.1	32.7	20.2	5300		6209 2RSR	
45	85	19	1.1	32.7	20.2	5300		6209 2RSR P6	
45	85	19	1.1	32.7	20.2	5300		6209 2RSR	

								P5	
45	85	19	1.1	32.7	20.2	8000	9500	6209 NR	SP85
45	85	23	1.1	32.7	20.2	8000		62209 2RSR	
45	100	25	1.5	52.8	31.7	6700	8000	6309	
45	100	25	1.5	52.8	31.7	6700	8000	6309 K	
45	100	25	1.5	52.8	31.7	6700	8000	6309MB	
45	100	25	1.5	52.8	31.7	6700	8000	6309MAP6	
45	100	25	1.5	52.8	31.7	6700	8000	6309P6	
45	100	25	1.5	52.8	31.7	6700	8000	6309P5	
45	100	25	1.5	52.8	31.7	6700		6309 2ZR	
45	100	25	1.5	52.8	31.7	6700		6309 2ZR P5	
45	100	25	1.5	52.8	31.7	4500		6309 2RSR	
45	100	25	1.5	52.8	31.7	4500		6309 2RSR P6	
45	100	25	1.5	52.8	31.7	4500		6309 2RSR P5	
45	100	25	1.5	52.8	31.7	6700	8000	6309 NR	SP100
45	100	36	1.5	52.8	31.7	6700		62309 2RSR	
45	120	29	2	76.8	44.9	5600	6700	6409	
45	120	29	2	76.8	44.9	5600	6700	6409 NR	SP120
50	65	7	0.3	6.8	6.3	9500	12000	61810	
50	65	7	0.3	6.8	6.3	9700	11000	61810 NR	SR65
50	72	12	0.6	14.5	10.4	9000	11000	61910	
50	72	12	0.6	14.5	10.4	9000	11000	61910 NR	SR72
50	80	10	0.6	16.3	13.1	8500	10000	16010	
50	80	16	1	21.8	16.5	8500	10000	6010 K	
50	80	16	1	21.8	16.5	8500		6010 2ZR	
50	80	16	1	21.8	16.5	5300		6010 2RSR	
50	90	20	1.1	35.1	23.1	7000	8500	6210	
50	90	20	1.1	35.1	23.1	7000	8500	6210 K	
50	90	20	1.1	35.1	23.1	7000	8500	6210M	
50	90	20	1.1	35.1	23.1	7000	8500	6210MAP6	
50	90	20	1.1	35.1	23.1	7000	8500	6210P6	
50	90	20	1.1	35.1	23.1	7000	8500	6210P5	
50	90	20	1.1	35.1	23.1	7000		6210 2ZR	
50	90	20	1.1	35.1	23.1	7000		6210 2ZR P5	
50	90	20	1.1	35.1	23.1	4500		6210 2RSR	
50	90	20	1.1	35.1	23.1	4500		6210 2RSR P6	
50	90	20	1.1	35.1	23.1	4500		6210 2RSR P5	
50	90	20	1.1	35.1	23.1	7000	8500	6210 NR	SP90
50	90	23	1.1	35.1	23.1	7000		62210 2RSR	
50	110	27	2	61.8	37.9	6000	7000	6310	
50	110	27	2	61.8	37.9	6000	7000	6310 K	
50	110	27	2	61.8	37.9	6000	7000	6310MAP6	
50	110	27	2	61.8	37.9	6000		6310 2ZR	
50	110	27	2	61.8	37.9	4000		6310 2RSR	

50	110	27	2	61.8	37.9	6000	7000	6310 NR	SP110
50	110	40	2	61.8	37.9	6000		62310 2RSR	
50	130	31	2.1	87.1	52	5000	6000	6410	
50	130	31	2.1	87.1	52	5000	6000	6410 NR	SP130
55	72	9	0.3	9	8.5	8500	10000	61811	
55	90	11	0.6	19.3	16.3	7500	9000	16011	
55	90	18	1.1	28.3	21.2	7500	9000	6011MB	
55	90	18	1.1	28.3	21.2	7500		6011 2ZR	
55	90	18	1.1	28.3	21.2	4500		6011 2RSR	
55	90	18	1.1	28.3	21.2	7500	9000	6011 NR	SP90
55	100	21	1.5	43.4	29.3	6300	7500	6211	
55	100	21	1.5	43.4	29.3	6300	7500	6211 K	
55	100	21	1.5	43.4	29.3	6300	7500	6211MA	
55	100	21	1.5	43.4	29.3	6300		6211 2ZR	
55	100	21	1.5	43.4	29.3	4000		6211 2RSR	
55	100	21	1.5	43.4	29.3	6300	7500	6211 NR	SP100
55	120	29	2	71.5	44.6	5300	6300	6311	
55	120	29	2	71.5	44.6	5300	6300	6311 K	
55	120	29	2	71.5	44.6	5300	6300	6311MA	
55	120	29	2	71.5	44.6	5300		6311 2ZR	
55	120	29	2	71.5	44.6	3600		6311 2RSR	
55	120	29	2	71.5	44.6	5300	6300	6311 NR	SP120
55	140	33	2.1	100	62	4800	5600	6411	
55	140	33	2.1	100	62	4800	5600	6411 NR	SP140
60	78	10	0.3	8.7	6.7	8000	9500	61812	
60	95	11	0.6	20	17.6	7000	8500	16012	
60	95	18	1.1	29.4	23.2	6700	8000	6012	
60	95	18	1.1	29.4	23.2	6700		6012 2ZR	
60	95	18	1.1	29.4	23.2	4300		6012 2RSR	
60	95	18	1.1	29.4	23.2	7000	8500	6012 NR	SP95
60	110	22	1.5	52.4	36	6000	7000	6212	
60	110	22	1.5	52.4	36	6000	7000	6212 K	
60	110	22	1.5	52.4	36	6000	7000	6212MA	
60	110	22	1.5	52.4	36	6000		6212 2ZR	
60	110	22	1.5	52.4	36	4000		6212 2RSR	
60	110	22	1.5	52.4	36	6000	7000	6212 NR	SP110
60	130	31	2.1	81.8	51.9	5000	6000	6312	
60	130	31	2.1	81.8	51.9	5000	6000	6312 K	
60	130	31	2.1	81.8	51.9	5000		6312 2ZR	
60	130	31	2.1	81.8	51.9	3400		6312 2RSR	
60	130	31	2.1	81.8	51.9	5000	6000	6312 NR	SP130
60	150	35	2.1	110	70.8	4300	5000	6412	
60	150	35	2.1	110	70.8	4300	5000	6412 NR	SP150
62	110	22	1.5	47.5	28	6000	7000	62/62	
65	85	10	0.6	12.2	12	7000	8500	61813	
65	100	11	0.6	22.9	19.6	6300	7500	16013	
65	100	18	1.1	30.5	25.2	6300	7500	6013 K	



65	100	18	1.1	30.5	25.2	6300		6013 2ZR	
65	100	18	1.1	30.5	25.2	4000		6013 2RSR	
65	100	18	1.1	30.5	25.2	6300	7500	6013 NR	SP100
65	120	23	1.5	57.2	40	5300	6300	6213	
65	120	23	1.5	57.2	40	5300	6300	6213M	
65	120	23	1.5	57.2	40	5300	6300	6213MA	
65	120	23	1.5	57.2	40	5300		6213 2ZR	
65	120	23	1.5	57.2	40	3600		6213 2RSR	
65	120	23	1.5	57.2	40	5300	6300	6213 NR	SP120
65	140	33	2.1	92.7	59.7	4800	5600	6313	
65	140	33	2.1	92.7	59.7	4800	5600	6313MA	
65	140	33	2.1	92.7	59.7	4800	5600	6313MB	
65	140	33	2.1	92.7	59.7	4800		6313 2ZR	
65	140	33	2.1	92.7	59.7	3000		6313 2RSR	
65	140	33	2.1	92.7	59.7	4800	5600	6313 NR	SP140
65	160	37	2.1	118	79	4000	4800	6413	
65	160	37	2.1	118	79	4000	4800	6413 NR	SP160
70	90	10	0.6	12.5	10	6700	8000	61814	
70	110	13	0.6	27.9	25	6000	7000	16014	
70	110	20	1.1	38.1	30.9	6000	7000	6014	
70	110	20	1.1	38.1	30.9	6000	7000	6014MAP5	
70	110	20	1.1	38.1	30.9	6000		6014 2ZR	
70	110	20	1.1	38.1	30.9	3600		6014 2RSR	
70	110	20	1.1	38.1	30.9	6000	7000	6014 NR	SP110
70	125	24	1.5	62.2	44.1	5000	6000	6214	
70	125	24	1.5	62.2	44.1	5000	6000	6214MA	
70	125	24	1.5	62.2	44	5000		6214 2ZR	
70	125	24	1.5	62.2	44	3400		6214 2RSR	
70	125	24	1.5	62.2	44	5000	6000	6214 NR	SP125
70	150	35	2.1	104	68.1	4500	5300	6314	
70	150	35	2.1	104	68.1	4500	5300	6314 K	
70	150	35	2.1	104	68.1	4500	5300	6314MAP6	
70	150	35	2.1	104	68.1	4500		6314 2ZR	
70	150	35	2.1	104	68.1	2800		6314 2RSR	
70	150	35	2.1	104	68.1	4500	5300	6314 NR	SP150
70	180	42	3	144	104	3800	4500	6414	
75	95	10	0.6	12.8	12.1	6300	7500	61815P5	
75	95	10	0.6	12.8	12.1	4000		61815 2RSR	
75	115	13	0.6	28.5	26.8	5600	6700	16015	
75	115	20	1.1	39.7	33.5	5600	6700	6015M	
75	115	20	1.1	39.7	33.5	5600	6700	6015MAP5	
75	115	20	1.1	39.7	33.5	5600		6015 2ZR	
75	115	20	1.1	39.7	33.5	3400		6015 2RSR	
75	115	20	1.1	39.7	33.5	5600	6700	6015 NR	SP115
75	130	25	1.5	67.4	49.3	4800	5600	6215	
75	130	25	1.5	67.4	49.3	4800	5600	6215 K	
75	130	25	1.5	67.4	49.3	4800		6215 2ZR	

75	130	25	1.5	67.4	49.3	3200		6215 2RSR	
75	130	25	1.5	67.4	49.3	4800	5600	6215 NR	SP130
75	160	37	2.1	113	77	4000	4800	6315	
75	160	37	2.1	113	77	4000	4800	6315MP6	
75	160	37	2.1	113	77	4000		6315 2ZR	
75	160	37	2.1	113	77	2800		6315 2RSR	
75	160	37	2.1	113	77	4000	5000	6315 NR	SP160
75	190	45	3	154	115	3600	4300	6415	
80	170	39	2.1	123	86.5	3800		6316 2ZR	
80	170	39	2.1	123	86.5	3800	4500	6316 NR	SP170
80	200	48	3	164	125	3400	4000	6416	
80	100	10	0.6	12.9	13.7	6000	7000	61816	
80	110	16	1	25.1	20.5	5600	6700	61916	
80	125	14	0.6	31.9	29.7	5300	6300	16016	
80	125	22	1.1	47.6	39.8	5300	6300	6016MA	
80	125	22	1.1	47.6	39.8	5300		6016 2ZR	
80	125	22	1.1	47.6	39.8	3600		6016 2RSR	
80	125	22	1.1	47.6	39.8	5300	6300	6016 NR	SP125
80	140	26	2	72.7	53	4500	5300	6216	
80	140	26	2	72.7	53	4500	5300	6216 K	
80	140	26	2	72.7	53	4500	5300	6216MA	
80	140	26	2	72.7	53	4500		6216 2ZR	
80	140	26	2	72.7	53	3000		6216 2RSR	
80	140	26	2	72.7	53	4500	5300	6216 NR	SP140
80	170	39	2.1	123	86.5	3800	4500	6316 K	
80	170	39	2.1	123	86.5	3800	4500	6316M	
85	110	13	1	19.3	20	5300	6300	61817	
85	130	14	1	33.8	33.5	5000	6000	16017	
85	130	22	1.1	49.5	43.1	5000	6000	6017	
85	130	22	1.1	49.5	43.1	5000		6017 2ZR	
85	130	22	1.1	49.5	43.1	3400		6017 2RSR	
85	130	22	1.1	49.5	43.1	5000	6000	6017 NR	SP130
85	150	28	2	84	61.9	4300	5000	6217	
85	150	28	2	84	61.9	4300	5000	6217 K	
85	150	28	2	84	61.9	4300	5000	6217MP6	
85	150	28	2	84	61.9	4300		6217 2ZR	
85	150	28	2	84	61.9	2800		6217 2RSR	
85	150	28	2	84	61.9	4300	5000	6217 NR	SP150
85	180	41	3	133	96.6	3600	4300	6317	
85	180	41	3	133	96.6	3600	4300	6317 K	
85	180	41	3	133	96.6	3600	4300	6317MA	
85	180	41	3	133	96.6	3600	4300	6317MB	
85	180	41	3	133	96.6	3600		6317 2ZR	
85	180	41	3	133	96.6	3600	4300	6317 NR	SP180
85	210	52	4	173	136	3200	3800	6417	
90	115	13	1	19.6	20.4	5300	6300	61818	
90	140	16	1	41.9	40.4	4500	5300	16018	

90	140	24	1.5	58.2	49.7	4500	5300	6018MA	
90	140	24	1.5	58.2	49.7	4500	5300	6018MP6	
90	140	24	1.5	58.2	49.7	4500		6018 2ZR	
90	140	24	1.5	58.2	49.7	3000		6018 2RSR	
90	140	24	1.5	58.2	49.7	4500	5600	6018 NR	SP140
90	160	30	2	96	71.5	3800	4500	6218	
90	160	30	2	96	71.5	3800	4500	6218 K	
90	160	30	2	96	71.5	3800	4500	6218MA	
90	160	30	2	96	71.5	3800	4500	6218MP6	
90	160	30	2	96	71.5	3800		6218 2ZR	
90	160	30	2	96	71.5	3800	4500	6218 NR	SP160
90	190	43	3	143	107	3400	4000	6318	
90	190	43	3	143	107	3400	4000	6318 K	
90	190	43	3	143	107	3400	4000	6318M	
90	190	43	3	143	107	3400		6318 2ZR	
90	190	43	3	143	107	3400	4000	6318 NR	SP190
90	225	54	4	190	160	3000	3600	6418	
90	145	16	1	42.3	41.5	4300	5000	16019	
90	145	24	1.5	60.5	53.6	4300	5000	6019	
95	145	24	1.5	60.5	53.6	4300		6019 2ZR	
95	145	24	1.5	60.5	53.6	2800		6019 2RSR	
95	145	24	1.5	60.5	53.6	4300	5000	6019 NR	SP145
95	170	32	2.1	109	81.9	3600	4300	6219MBP6	
95	170	32	2.1	109	81.9	3600	4300	6219 NR	SP170
95	200	45	3	153	118	3200	3800	6319	
95	200	45	3	153	118	3200	3800	6319MAP6	
100	125	13	1	19.6	21.2	4800	5600	61820MAP5	
100	150	16	1	45	44	4300	5000	16020	
100	150	24	1.5	60.5	54	4300	5000	6020MAP6	
100	150	24	1.5	60.5	54	4300		6020 2ZR	
100	150	24	1.5	60.5	54	2800		6020 2RSR	
100	150	24	1.5	60.5	54	4300	5000	6020 NR	SP150
100	180	34	2.1	124	93	3400	4000	6220	
100	180	34	2.1	124	93	3400	4000	6220MA	
100	180	34	2.1	124	93	3400	4000	6220MP6	
100	180	34	2.1	124	93	3400	4000	6220 NR	SP180
100	215	47	3	173	140	3000		6320 2ZR	
100	215	47	3	173	140	3000	3600	6320MAP6	
105	130	13	1	20.8	19.6	4500	5300	61821MAP5	
105	160	18	1	52	51	4000	4800	16021	
105	160	26	2	72.3	65.8	3800	4500	6021M	
105	190	36	2.1	133	104	3200	3800	6221	
105	190	36	2.1	133	104	3200	3800	6221MA	
105	225	49	3	184	153	2800	3400	6321MA	
110	140	16	1	28.1	29	4300	5000	61822	
110	170	19	1	57.5	56.7	3800	4500	16022	
110	170	28	2	82	73	3600	4300	6022	

110	200	38	2.1	143	118	3000	3600	6222	
110	200	38	2.1	143	118	3000	3600	6222M	
110	200	38	2.1	143	118	3000	3600	6222 NR	SP200
110	240	50	3	203	178	2600	3200	6322	
110	240	50	3	203	178	2600	3200	6322MA	
120	150	16	1	29.1	32.5	3800	4500	61824	
120	180	19	1	63.2	63.3	3400	4000	16024	
120	180	28	2	85	79.3	3400	4000	6024MP6	
120	215	40	2.1	155	131	2800	3400	6224	
120	215	40	2.1	155	131	2800	3400	6224MB	
120	215	40	2.1	155	131	2800	3400	6224MAP6	
120	215	40	2.1	155	131	2800		6224 2ZR	
120	215	40	2.1	155	131	2800	3400	6224 NR	SP215
120	260	55	3	212	190	2400	3000	6324MA	
130	165	18	1.1	38	43	3600	4300	61826MAP5	
130	200	22	1.1	79	81	3200	3800	16026	
130	200	33	2	106	101	3000	3600	6026	
130	230	40	3	167	146	2600	3200	6226	
130	230	40	3	167	146	2600	3200	6226M	
130	280	58	4	229	214	2200	2800	6326MA	
140	175	18	1.1	39	46	3400	4000	61828MAP5	
140	210	22	1.1	80.5	86	2800	3400	16028	
140	210	33	2	110	109	2800	3400	6028MP6	
140	250	42	3	176	164	2400	3000	6228	
140	250	42	3	176	164	2400	3000	6228MA	
140	300	62	4	253	246	2000	2600	6328MA	
150	190	20	1.1	48.8	61	3000	3600	61830	
150	225	24	1.1	92.3	98	2600	3200	16030	
150	225	35	2.1	125	126	2600	3200	6030MA	
150	270	45	3	176	170	2000	2600	6230MA	
150	320	65	4	275	284	1900	2400	6330MA	
160	200	20	1.1	52	62	2800	3400	61832	
160	240	25	1.5	99.4	107	2400	3000	16032	
160	240	38	2.1	140	143	2400	3000	6032MA	
160	290	48	3	185	186	1900	2400	6232MA	
170	215	22	1.1	61.8	73.5	2600	3200	61834P6	
170	260	28	1.5	118	127	2200	2800	16034	
170	260	42	2.1	168	172	2200	2800	6034MA	
170	310	52	4	212	224	1900	2400	6234MA	
180	225	22	1.1	62.3	78.5	2400	3000	61836P5	
180	250	33	2	128	137	2200	2800	61936MA	
180	280	31	2	140	146	2000	2600	16036MA	
180	280	46	2.1	186	194	2000	2600	6036	
180	320	52	4	227	242	1800	2200	6236	
190	240	24	1.5	74.1	92	2200	2800	61838	
190	290	31	2	148	162	2000	2600	16038	
190	290	46	2.1	194	210	2000	2600	6038MA	

190	290	46	2.1	194	210	2000	2600	6038MB	
190	290	46	2.1	194	210	2000	2600	6038MBP6	
190	290	46	2.1	194	210	2000	2600	6038MBP5	
190	340	55	4	255	278	1700	2000	6238MA	
190	340	55	4	255	278	1700	2000	6238MB	
200	250	24	1.5	78	93	2200	2800	61840MB	
200	280	38	2.1	151	160	2200	2800	61940MB	
200	310	34	2	168	187	1900	2400	16040MBP6	
200	310	34	2	168	187	1900	2400	16040MBP5	
200	310	51	2.1	208	226	1900	2400	6040MA	
200	310	51	2.1	208	226	1900	2400	6040MB	
200	310	51	2.1	208	226	1900	2400	6040MBP52	
200	360	58	4	280	314	1700	2000	6240M	
200	360	58	4	280	314	1700	2000	6240MB	

**Power Transmission Ltd**

Unit 18 Whitemoor Court Industrial Estate, Nuthall Road, Nottingham, NG8 5BY  
**Tel:** +44 (0) 115 929 0001 / **Fax:** +44 (0) 115 929 0008 / **Email:** sales@pte-ltd.co.uk  
Registered in England & Wales - Reg No: 6533509 / Vat No: 973280796.